

"Express Mail" mailing label number EV 327130682US

Date of Deposit July 16, 2003

Our Case No.: 6270/114

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

(Divisional of 10/233,6962)

Jonker et al.

Serial No.: TBD

Filing Date: Herewith

For: REVENUE METER WITH POWER
QUALITY FEATURES

Examiner: Edward Raymond

Group Art Unit No.: 2857

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
Alexandria, VA 22313-1450

Dear Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56, it is respectfully requested that this Information Disclosure Statement be entered and the documents listed below and on the attached Form PTO-1449 be considered by the Examiner and made of record.

Pursuant to 37 C.F.R. § 1.98(d), copies of the cited references are not included as they would be cumulative as being previously cited and submitted to the Office in a prior related application, U.S. Patent Application No. 10/233,962 filed September 3, 2002.

The references now cited are the following:

| No. | Date | Name |
|-----------|---------|-----------------|
| RE31,774 | 12/1984 | Fletcher et al. |
| 4,077,061 | 02/1978 | Johnston et al. |

| | | |
|-----------|----------|---------------------|
| 4,121,147 | 10/1978 | Becker et al. |
| 4,156,280 | 05/1979 | Griess |
| 4,240,149 | 12/1980 | Fletcher et al. |
| 4,345,311 | 08/1982 | Fielden |
| 4,365,302 | 12/1982 | Elms |
| 4,388,611 | 06/1983 | Haferd |
| 4,455,612 | 06/1984 | Girgis et al. |
| 4,459,546 | 07/1984 | Arrington et al. |
| 4,463,311 | 07/1984 | Kobayashi |
| 4,568,934 | 02/1986 | Allgood |
| 4,612,617 | 09/1986 | Laplace, Jr. et al. |
| 4,642,564 | 02/1987 | Hurley |
| 4,663,587 | 05/1987 | Mackenzie |
| 4,672,555 | 06/1987 | Hart et al. |
| 4,715,000 | 12/1987 | Premarlani |
| 4,783,748 | 11/1988 | Swarztrauber et al. |
| 4,794,369 | 12/1988 | Haferd |
| 4,837,504 | 06/1989 | Baer et al. |
| 4,839,819 | 06/1989 | Begin et al. |
| 4,843,311 | 06/27/89 | Rozman et al. |
| 4,878,142 | 10/1989 | Bergman et al. |
| 4,878,185 | 10/1989 | Brand et al. |
| 4,884,021 | 11/1989 | Hammond et al. |
| 4,901,221 | 02/1990 | Kodosky et al. |
| 4,914,568 | 04/1990 | Kodosky et al. |
| 4,979,122 | 12/1990 | Davis et al. |
| 5,017,860 | 05/1991 | Germer et al. |
| 5,059,896 | 10/1991 | Germer et al. |
| 5,061,890 | 10/1991 | Langini |
| 5,081,413 | 01/1992 | Yamada et al. |
| 5,122,735 | 06/1992 | Porter et al. |
| 5,132,610 | 07/1992 | Ying-chang |
| 5,151,866 | 09/1992 | Glaser et al. |
| 5,155,836 | 10/1992 | Jordan et al. |
| 5,207,595 | 05/04/93 | Learmont et al. |
| 5,212,441 | 05/1993 | McEachern et al. |
| 5,224,011 | 06/1993 | Yalla et al. |
| 5,224,054 | 06/1993 | Wallis |
| 5,229,713 | 07/1993 | Bullock et al. |
| 5,233,538 | 08/1993 | Wallis |
| 5,243,536 | 09/1993 | Bradford |
| 5,243,537 | 09/1993 | Neumann |
| 5,245,275 | 09/1993 | Germer et al. |
| 5,247,454 | 09/1993 | Farrington et al. |
| 5,258,704 | 11/1993 | Germer et al. |
| 5,262,715 | 11/1993 | King et al. |
| 5,270,640 | 12/1993 | Kohler et al. |
| 5,301,121 | 04/1994 | Garverich et al. |
| 5,364,290 | 11/1994 | Hartman |
| 5,391,983 | 02/1995 | Lusigman et al. |
| 5,414,812 | 05/1995 | Filip et al. |
| 5,426,780 | 06/1995 | Gerull et al. |
| 5,481,700 | 01/1996 | Thuraisingham |

| | | |
|--|----------|------------------|
| 5,498,956 | 03/1996 | Kinney et al. |
| 5,537,029 | 07/16/96 | Hemminger et al. |
| 5,548,209 | 08/1996 | Lusignan et al. |
| 5,548,527 | 08/20/96 | Hemminger et al. |
| 5,549,089 | 08/27/96 | Snell et al. |
| 5,555,508 | 09/10/96 | Munday et al. |
| 5,571,031 | 11/1996 | Robinson et al. |
| 5,627,759 | 05/06/97 | Bearden et al. |
| 5,631,843 | 05/20/97 | Munday et al. |
| 5,650,936 | 07/22/97 | Loucks et al. |
| 5,736,847 | 04/07/98 | Van Doorn et al. |
| 5,828,576 | 10/27/98 | Loucks et al. |
| 6,043,642 | 03/2000 | Martin et al. |
| 6,177,884 | 01/2001 | Hunt et al. |
| 6,316,932 | 11/2001 | Horan et al. |
| OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) | | |
| "QUAD4 [®] Plus and MAXsys [™] Multifunction Electronic Meters and IEDS," On-Line User Guide, <i>QUAD4 Plus/MAXsys Products User's Guide</i> , Rev 1.01, pages 1-1 - 1-4; 1-13 - 1-15; 4-100, 4-107 - 4-108. | | |
| "QUAD4 [®] Plus and MAXsys [™] Multifunction Electronic Meters and IEDS", On-Line User Guide Product Definitions, <i>QUAD4 Plus/MAXsys Products User's Guide</i> , Rev 1.01, pages DEF-1 - DEF-13. | | |
| "Protective Relaying Theory and Applications," edited by Walter A. Elmore, pp. 17-37 (1994). | | |
| "The world is changing. The old answers no longer apply," <i>Schlumberger</i> , Bulletin. | | |
| "Series PM170 Powermeters," <i>SATEC</i> , Bulletin. | | |
| "System 270 Powermeter," <i>SATEC</i> , Bulletin. | | |
| "RPM090 Digital Transducer," <i>SATEC</i> , Bulletin. | | |
| "Series 290 Power Monitoring System," <i>SATEC</i> , Bulletin. | | |
| "PM290HD Powermeter With Harmonic Analysis," <i>SATEC</i> , Bulletin. | | |
| "AX-7 Analog Expander," <i>SATEC</i> , Bulletin. | | |
| "Application Software, Professional Systems For Energy Control And Management," <i>SATEC</i> , Bulletin. | | |
| "Power Monitoring And Analysis Systems," <i>SATEC</i> , Bulletin. | | |
| "PM - 295 Powermeter / Harmonic Analyzer," <i>SATEC</i> , Bulletin. | | |
| "PM 295 Power Monitoring System with Harmonic Analysis," <i>SATEC</i> , Bulletin. | | |
| "PM 170M Powermeter - with KVA Measurements," <i>SATEC</i> , Bulletin. | | |
| "Vector Electricity Meter with the Site Genie [™] Monitor," <i>General Electric</i> , | | |
| "VECTRON [®] SVX Solid-State Polyphase Meters," <i>Schlumberger</i> , Bulletin 11314 (March 1996). | | |
| "MAXsys [®] 2510 Substation/High-End Direct Access Meter," <i>Siemens</i> , Bulletin. | | |
| "MAXsys [®] 2410 Direct Access Meter," <i>Siemens</i> , Bulletin. | | |
| "AIN ALPHA [®] Meter For IEC Standards," <i>ABB Information Systems</i> , Bulletin. | | |
| "ALPHA Stars [™] , National Wireless Communications for Remote Metering," <i>ABB Information Systems</i> , Bulletin. | | |
| "AIN Alpha, High Function Multi-Tariff Solid State Electricity Meter," <i>ABB Network Partner</i> , PB 42-280-lb, pp. 1-20. | | |
| "MARK-V Digital True RMS Energy Meter," <i>TransData, Inc.</i> , Bulletin. | | |
| "MAXsys [®] - PSI," <i>Siemens</i> , Bulletin. | | |
| "MeterView [™] Software Environment..., ...Instant Access to Maxsys [™] Meter Information," <i>Siemens</i> , D00024D (1997). | | |
| "MAXsys [®] - Multi-Access Metering And Control," <i>Siemens</i> , Bulletin. | | |
| "MAXsys [®] For Energy Providers," <i>Siemens</i> , Bulletin. | | |
| QUAD4 [®] Plus and MAXsys [®] Meters and IEDs, <i>Siemens</i> , <i>QUAD2DSQ</i> (1998). | | |
| The QUAD4 [®] Plus Solid-State Meter," <i>PSI</i> , Bulletin. | | |
| "kV Telephone Modem," <i>General Electric</i> , Bulletin. | | |
| "kV A-Base Meters," <i>General Electric</i> , Bulletin. | | |
| "kV Class 320 Meters," <i>General Electric</i> , Bulletin. | | |

| |
|---|
| "EnergyAxis™ Customer Site Metering System For On-Site Metering and Power Analysis," ABB Information Systems, Bulletin (1998). |
| "8500 ION® Direct Access Billing Meter," 8500 ION™, Power Measurement, Bulletin (Aug. 11, 1998). |
| "7700 ION® 3-Phase Power Meter, Analyzer and Controller," 7700 ION™, Power Measurement, Bulletin (April 22, 1998). |
| "American National Standard for Electric Meters - Code for Electricity Metering," American National Standard, Document ANSI C12.1 (1995). |
| "American National Standard for Electromechanical Watthour Meters," The Institute of Electrical and Electronics Engineers, Inc., ANSI C12 (1987) (Revision of ANSI C12-10-1987). |
| "American National Standard for Electronic Time-of-Use Registers for Electricity Meters," The Institute of Electrical and Electronics Engineers, Inc., ANSI C12 (Revision of ANSI C12 13-1985) (1991). |
| "American National Standard for Solid-State Electricity Meters," The Institute of Electrical and Electronics Engineers, Inc., ANSI C12.16 (1991). |
| "American National Standard for Electricity Meters 0.2 and 0.5 Accuracy Classes," American National Standards, ANSI C12.20 (1998). |
| "ISO - Specification MTR1-96, Engineering Specification For Polyphase Solid-State Electricity Meters For Use On The ISO Grid," Exhibit A, pp. 1-42 (1997) |
| "Specifications For Approval Of Type of Electricity Meters, Instrument Transformers And Auxiliary Devices," Consumer and Corporate Affairs Canada. |
| "International Standard, Alternating current static watt-hour meters for active energy (classes 0,2 S and 0,5 S), International Electrotechnical Commission, second edition (1992). |
| "Meter-Mounting Devices, Industrial Products," Canadian Standards Association, C22.2 No. 115-M (1989). |
| "Alternating-Current Electricity Metering, Electric Power Systems and Equipment," Canadian Standards Association, CAN3-C17-M (1984). |
| "International Standard, Amendment 1 to Publication 868 (1986), International Electrotechnical Commission, Modification 1 (1986). |
| "International Standard, Electromagnetic Compatibility (EMC) - Part 4: Testing and measurement techniques - Section 15: Flickermeter - Functional and design specifications," International Electrotechnical Commission, 61000 4-15 (1997). |
| "Measurement Guide for Voltage Characteristics - Electricity Product Characteristics and Electromagnetic Compatibility," 230.02 Norcomp, Unipede (1995). |
| "Voltage characteristics of electricity supplied by public distribution systems," BSI Standards, 50160 (1995). |
| "Minutes of the 7th Meeting, Distribution Committee," EEI, 1998. |
| Quantum® Q1000 "Sandy Creek Plant Lonworks® Communication" brochure, © Copyright 1997 Schlumberger Industries, Inc., MK/1662/9-97, pp. 1-4. |
| Schlumberger Electricity "One of your largest customers is concerned about power quality..." brochure, © Copyright 1996 Schlumberger Industries, Inc., PP1633/6-96m pp. 1-5 |
| Schlumberger "Quantum® Q100 Multimeasurement Meter Technical Reference Guide," Effective October 1999, © Copyright 1999, Schlumberger Resource Management Services, Inc. |

In accordance with 37 C.F.R. § 1.97(g),(h), this Information Disclosure Statement is not to be construed as a representation that a search has been made and is not to be construed to be an admission that the information cited is, or is considered to be, material to patentability as defined in 37 C.F.R. § 1.56(b).


This Information Disclosure Statement is being filed prior to the receipt of the first Official Action reflecting an examination on the merits and hence is believed to be timely

filed in accordance with 37 C.F.R. § 1.97(b). No fees are believed to be due in connection with filing of this Information Disclosure Statement, however, should any fees under 37 C.F.R. §§ 1.16 to 1.21 be deemed necessary for any reason relating to these material, the Commissioner is hereby authorized to deduct said fees from Brinks Hofer Gilson & Lione Deposit Account No. 23-1925.

This application is a divisional application of U.S. Serial No. 10/233,962, filed September 3, 2002 and is relied upon for an earlier filing dated under 35 U.S.C. § 120. In accordance with Rule 37 C.F.R. § 1.98(d) only copies of documents not previously cited and submitted to the Patent and Trademark Office in the prior application Serial No. 10/233,962 are enclosed for the convenience of the Examiner.

Applicant(s) respectfully request that the listed documents be made of record in the present case.

Respectfully submitted,



James L. Katz
Registration No. 42,711
Attorney for Applicant(s)

BRINKS HOFER GILSON & LIONE
P.O. Box 10395
Chicago, IL 60610
(312) 321-4200

| | | |
|---|-------------|----------------|
| FORM PTO-1449 | SERIAL NO. | CASE NO. |
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT | TBD | 6270/114 |
| | FILING DATE | GROUP ART UNIT |
| (use several sheets if necessary) | Herewith | 2857 |
| APPLICANT(S): Jonker, et al. | | |

| REFERENCE DESIGNATION | | | U.S. PATENT DOCUMENTS | | | |
|-----------------------|-----|--------------------|-----------------------|---------------------|--------------------|----------------|
| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS/ SUBCLASS | FILING DATE |
| | A1 | RE31,774 | 12/1984 | Fletcher et al. | | |
| | A2 | 4,077,061 | 02/1978 | Johnston et al. | | |
| | A3 | 4,121,147 | 10/1978 | Becker et al. | | |
| | A4 | 4,156,280 | 05/1979 | Griess | | |
| | A5 | 4,240,149 | 12/1980 | Fletcher et al. | | |
| | A6 | 4,345,311 | 08/1982 | Fielden | | |
| | A7 | 4,365,302 | 12/1982 | Elms | | |
| | A8 | 4,388,611 | 06/1983 | Haferd | | |
| | A9 | 4,455,612 | 06/1984 | Girgis et al. | | |
| | A10 | 4,459,546 | 07/1984 | Arrington et al. | | |
| | A11 | 4,463,311 | 07/1984 | Kobayashi | | |
| | A12 | 4,568,934 | 02/1986 | Allgood | | |
| | A13 | 4,612,617 | 09/1986 | Laplace, Jr. et al. | | |
| | A14 | 4,642,564 | 02/1987 | Hurley | | |
| | A15 | 4,663,587 | 05/1987 | Mackenzie | | |
| | A16 | 4,672,555 | 06/1987 | Hart et al. | | |
| | A17 | 4,715,000 | 12/1987 | Premarlani | | |
| | A18 | 4,783,748 | 11/1988 | Swarztrauber et al. | | |
| | A19 | 4,794,369 | 12/1988 | Haferd | | |
| | A20 | 4,837,504 | 06/1989 | Baer et al. | | |
| | A21 | 4,839,819 | 06/1989 | Begin et al. | | |
| | A22 | 4,843,311 | 06/27/89 | Rozman et al. | 324/142 | 07/15/87 |
| | A23 | 4,878,142 | 10/1989 | Bergman et al. | | |
| | A24 | 4,878,185 | 10/1989 | Brand et al. | | |
| | A25 | 4,884,021 | 11/1989 | Hammond et al. | | |
| | A26 | 4,901,221 | 02/1990 | Kodosky et al. | | |
| | A27 | 4,914,568 | 04/1990 | Kodosky et al. | | |
| | A28 | 4,979,122 | 12/1990 | Davis et al. | | |
| | A29 | 5,017,860 | 05/1991 | Germer et al. | | |
| | A30 | 5,059,896 | 10/1991 | Germer et al. | | |
| | A31 | 5,061,890 | 10/1991 | Langini | | |
| | A32 | 5,081,413 | 01/1992 | Yamada et al. | | |
| | A33 | 5,122,735 | 06/1992 | Porter et al. | | |
| | A34 | 5,132,610 | 07/1992 | Ying-chang | | |
| | A35 | 5,151,866 | 09/1992 | Glaser et al. | | |
| | A36 | 5,155,836 | 10/1992 | Jordan et al. | | |
| | A37 | 5,207,595 | 05/04/93 | Learmont et al. | 439/517 | 01/28/92 |

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|--|-------------------------|------------------------------|
| FORM PTO-1449 | SERIAL NO. TBD | CASE NO. 6270/114 |
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT | FILING DATE Herewith | GROUP ART UNIT 2857 |
| (use several sheets if necessary) | | APPLICANT(S): Jonker, et al. |

REFERENCE DESIGNATION

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS/ SUBCLASS | FILING DATE |
|---------------------|-----|--------------------|----------|-------------------|--------------------|----------------|
| | A38 | 5,212,441 | 05/1993 | McEachern et al. | | |
| | A39 | 5,224,011 | 06/1993 | Yalla et al. | | |
| | A40 | 5,224,054 | 06/1993 | Wallis | | |
| | A41 | 5,229,713 | 07/1993 | Bullock et al. | | |
| | A42 | 5,233,538 | 08/1993 | Wallis | | |
| | A43 | 5,243,536 | 09/1993 | Bradford | | |
| | A44 | 5,243,537 | 09/1993 | Neumann | | |
| | A45 | 5,245,275 | 09/1993 | Germer et al. | | |
| | A46 | 5,247,454 | 09/1993 | Farrington et al. | | |
| | A47 | 5,258,704 | 11/1993 | Germer et al. | | |
| | A48 | 5,262,715 | 11/1993 | King et al. | | |
| | A49 | 5,270,640 | 12/1993 | Kohler et al. | | |
| | A50 | 5,301,121 | 04/1994 | Garverich et al. | | |
| | A51 | 5,364,290 | 11/1994 | Hartman | | |
| | A52 | 5,391,983 | 02/1995 | Lusigman et al. | | |
| | A53 | 5,414,812 | 05/1995 | Filip et al. | | |
| | A54 | 5,426,780 | 06/1995 | Gerull et al. | | |
| | A55 | 5,481,700 | 01/1996 | Thuraisingham | | |
| | A56 | 5,498,956 | 03/1996 | Kinney et al. | | |
| | A57 | 5,537,029 | 07/16/96 | Hemminger et al. | | |
| | A58 | 5,548,209 | 08/1996 | Lusignan et al. | | |
| | A59 | 5,548,527 | 08/20/96 | Hemminger et al. | | |
| | A60 | 5,549,089 | 08/27/96 | Snell et al. | | |
| | A61 | 5,555,508 | 09/10/96 | Munday et al. | | |
| | A62 | 5,571,031 | 11/1996 | Robinson et al. | | |
| | A63 | 5,627,759 | 05/06/97 | Bearden et al. | | |
| | A64 | 5,631,843 | 05/20/97 | Munday et al. | | |
| | A65 | 5,650,936 | 07/22/97 | Loucks et al. | | |
| | A66 | 5,736,847 | 04/07/98 | Van Doorn et al. | | |
| | A67 | 5,828,576 | 10/27/98 | Loucks et al. | | |
| | A68 | 6,043,642 | 03/2000 | Martin et al. | | |
| | A69 | 6,177,884 | 01/2001 | Hunt et al. | | |
| | A70 | 6,316,932 | 11/2001 | Horan et al. | | |

FOREIGN PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS/ SUBCLASS | TRANSLATION | |
|---------------------|--|--------------------|------|---------|--------------------|-------------|----|
| | | | | | | YES | NO |
| | | | | | | | |
| | | | | | | | |

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|--|------------------------------|------------------------|
| FORM PTO-1449 | SERIAL NO. TBD | CASE NO. 6270/114 |
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT | FILING DATE Herewith | GROUP ART UNIT 2857 |
| (use several sheets if necessary) | APPLICANT(S): Jonker, et al. | |

| EXAMINER INITIAL | OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) | |
|------------------|--|--|
| | A71 | "QUAD4 [®] Plus and MAXsys [™] Multifunction Electronic Meters and IEDS," On-Line User Guide, <i>QUAD4 Plus/MAXsys Products User's Guide</i> , Rev 1.01, pages 1-1 - 1-4; 1-13 - 1-15; 4-100, 4-107 - 4-108. |
| | A72 | "QUAD4 [®] Plus and MAXsys [™] Multifunction Electronic Meters and IEDS", On-Line User Guide Product Definitions, <i>QUAD4 Plus/MAXsys Products User's Guide</i> , Rev 1.01, pages DEF-1 - DEF-13. |
| | A73 | "Protective Relaying Theory and Applications," edited by Walter A. Elmore, pp. 17-37 (1994). |
| | A74 | "The world is changing. The old answers no longer apply," <i>Schlumberger</i> , Bulletin. |
| | A75 | "Series PM170 Powermeters," <i>SATEC</i> , Bulletin. |
| | A76 | "System 270 Powermeter," <i>SATEC</i> , Bulletin. |
| | A77 | "RPM090 Digital Transducer," <i>SATEC</i> , Bulletin. |
| | A78 | "Series 290 Power Monitoring System," <i>SATEC</i> , Bulletin. |
| | A79 | "PM290HD Powermeter With Harmonic Analysis," <i>SATEC</i> , Bulletin. |
| | A80 | "AX-7 Analog Expander," <i>SATEC</i> , Bulletin. |
| | A81 | "Application Software, Professional Systems For Energy Control And Management," <i>SATEC</i> , Bulletin. |
| | A82 | "Power Monitoring And Analysis Systems," <i>SATEC</i> , Bulletin. |
| | A83 | "PM - 295 Powermeter / Harmonic Analyzer," <i>SATEC</i> , Bulletin. |
| | A84 | "PM 295 Power Monitoring System with Harmonic Analysis," <i>SATEC</i> , Bulletin. |
| | A85 | "PM 170M Powermeter - with KVA Measurements," <i>SATEC</i> , Bulletin. |
| | A86 | "Vector Electricity Meter with the Site Genie [™] Monitor," <i>General Electric</i> , |
| | A87 | "VECTRON [®] SVX Solid-State Polyphase Meters," <i>Schlumberger</i> , Bulletin 11314 (March 1996). |
| | A88 | "MAXsys [®] 2510 Substation/High-End Direct Access Meter," <i>Siemens</i> , Bulletin. |
| | A89 | "MAXsys [®] 2410 Direct Access Meter," <i>Siemens</i> , Bulletin. |
| | A90 | "AIN ALPHA [®] Meter For IEC Standards," <i>ABB Information Systems</i> , Bulletin. |
| | A91 | "ALPHA Stars [™] , National Wireless Communications for Remote Metering," <i>ABB Information Systems</i> , Bulletin. |
| | A92 | "AIN Alpha, High Function Multi-Tariff Solid State Electricity Meter," <i>ABB Network Partner</i> , PB 42-280-lb, pp. 1-20. |
| | A93 | "MARK-V Digital True RMS Energy Meter," <i>TransData, Inc.</i> , Bulletin. |
| | A94 | "MAXsys [®] - PSI," <i>Siemens</i> , Bulletin. |
| | A95 | "MeterView [™] Software Environment..., ...Instant Access to Maxsys [™] Meter Information," <i>Siemens</i> , D00024D (1997). |
| | A96 | "MAXsys [®] - Multi-Access Metering And Control," <i>Siemens</i> , Bulletin. |
| | A97 | "MAXsys [®] For Energy Providers," <i>Siemens</i> , Bulletin. |
| | A98 | QUAD4 [®] Plus and MAXsys [®] Meters and IEDs, <i>Siemens</i> , <i>QUAD2DSQ</i> (1998). |
| | A99 | The QUAD4 [®] Plus Solid-State Meter," <i>PSI</i> , Bulletin. |

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|--|-------------------------|------------------------------|
| FORM PTO-1449 | SERIAL NO. TBD | CASE NO. 6270/114 |
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT | FILING DATE Herewith | GROUP ART UNIT 2857 |
| (use several sheets if necessary) | | APPLICANT(S): Jonker, et al. |

| EXAMINER INITIAL | OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) | |
|------------------|--|---|
| | A100 | "kV Telephone Modem," <i>General Electric</i> , Bulletin. |
| | A101 | "kV A-Base Meters," <i>General Electric</i> , Bulletin. |
| | A102 | "kV Class 320 Meters," <i>General Electric</i> , Bulletin. |
| | A103 | "EnergyAxis™ Customer Site Metering System For On-Site Metering and Power Analysis," <i>ABB Information Systems</i> , Bulletin (1998). |
| | A104 | "8500 ION® Direct Access Billing Meter," <i>8500 ION™</i> , Power Measurement, Bulletin (Aug. 11, 1998). |
| | A105 | "7700 ION® 3-Phase Power Meter, Analyzer and Controller," <i>7700 ION™</i> , Power Measurement, Bulletin (April 22, 1998). |
| | A106 | "American National Standard for Electric Meters - Code for Electricity Metering," <i>American National Standard</i> , Document ANSI C12.1 (1995). |
| | A107 | "American National Standard for Electromechanical Watthour Meters," <i>The Institute of Electrical and Electronics Engineers, Inc.</i> , ANSI C12 (1987) (Revision of ANSI C12-10-1987). |
| | A108 | "American National Standard for Electronic Time-of-Use Registers for Electricity Meters," <i>The Institute of Electrical and Electronics Engineers, Inc.</i> , ANSI C12 (Revision of ANSI C12 13-1985) (1991). |
| | A109 | "American National Standard for Solid-State Electricity Meters," <i>The Institute of Electrical and Electronics Engineers, Inc.</i> , ANSI C12.16 (1991). |
| | A110 | "American National Standard for Electricity Meters 0.2 and 0.5 Accuracy Classes," <i>American National Standards</i> , ANSI C12.20 (1998). |
| | A111 | "ISO - Specification MTR1-96, Engineering Specification For Polyphase Solid-State Electricity Meters For Use On The ISO Grid," Exhibit A, pp. 1-42 (1997) |
| | A112 | "Specifications For Approval Of Type of Electricity Meters, Instrument Transformers And Auxiliary Devices," <i>Consumer and Corporate Affairs Canada</i> . |
| | A113 | "International Standard, Alternating current static watt-hour meters for active energy (classes 0,2 S and 0,5 S), <i>International Electrotechnical Commission</i> , second edition (1992). |
| | A114 | "Meter-Mounting Devices, Industrial Products," <i>Canadian Standards Association</i> , C22.2 No. 115-M (1989). |
| | A115 | "Alternating-Current Electricity Metering, Electric Power Systems and Equipment," <i>Canadian Standards Association</i> , CAN3-C17-M (1984). |
| | A116 | "International Standard, Amendment 1 to Publication 868 (1986), <i>International Electrotechnical Commission</i> , Modification 1 (1986). |
| | A117 | "International Standard, Electromagnetic Compatibility (EMC) - Part 4: Testing and measurement techniques - Section 15: Flickermeter - Functional and design specifications," <i>International Electrotechnical Commission</i> , 61000 4-15 (1997). |
| | A118 | "Measurement Guide for Voltage Characteristics - Electricity Product Characteristics and Electromagnetic Compatibility," <i>230.02 Norcomp, Unipede</i> (1995). |
| | A119 | "Voltage characteristics of electricity supplied by public distribution systems," <i>BSI Standards</i> , 50160 (1995). |

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|--|-------------------------|------------------------------|
| FORM PTO-1449 | SERIAL NO. TBD | CASE NO. 6270/114 |
| LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT | FILING DATE Herewith | GROUP ART UNIT 2857 |
| (use several sheets if necessary) | | APPLICANT(S): Jonker, et al. |

| EXAMINER INITIAL | OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.) | |
|---------------------|--|---|
| | A120 | "Minutes of the 7th Meeting, Distribution Committee," <i>EEI</i> , 1998. |
| | A121 | Quantum® Q1000 "Sandy Creek Plant Lonworks® Communication" brochure, © Copyright 1997 Schlumberger Industries, Inc., MK/1662/9-97, pp. 1-4. |
| | A122 | Schlumberger Electricity "One of your largest customers is concerned about power quality..." brochure, © Copyright 1996 Schlumberger Industries, Inc., PP1633/6-96m pp. 1-5 |
| | A123 | Schlumberger "Quantum® Q100 Multimeasurement Meter Technical Reference Guide," Effective October 1999, © Copyright 1999, Schlumberger Resource Management Services, Inc. |

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.